



























BUILT TO AUSTRALIAN STANDARDS (SPECIFICATIONS & COMPUTATIONS AVAILABLE)

- BASESMART ELIMINATES
 ALL TRAPPED DEBRIS
- HEAVY DUTY DEEP RIB SHEET .35MM GAUGE
- EXTRA HEAVY DUTY 0.47MM GAUGE CORRUGATED SHEET
- OPTIONAL UPGRADE TO WELDED STEEL FRAME WORKSHED
- LEADING PAINT
 SYSTEM FORMULATED
 FOR AUSTRALIAN
 CONDITIONS
- LOCALLY BUILT TO YOUR REQUIREMENTS

WHY CHOOSE US??



STEELCHIEF - GREAT VALUE & GREAT ADVANTAGES!

- 1. All of our products are locally made in Ballarat to your requirements.
- SteelChief sheds are a great DIY product all shed panels are pre-assembled making your installation simple and safe.
- 3. Select your SteelChief product size and colour then select any of our additional optional extras. Decide on door type and positioning then build your shed exactly the way you want it. Delivery of your product will usually be within two weeks in panel form with rolled safety edges on all sheets ensuring you an excellent finished project with the minimum installation effort.

GUARANTEE

SteelChief guarantees all workmanship of our products. Our current suppliers of pre-painted coloured and zinc sheeting have warranted that their products are resistant to flaking peeling and excessive fade or perforation for 15 years under certain conditions. The warranties are given subject to our suppliers' standard warranty terms which can be found online. We will pass on to our suppliers any material warranty claim but SteelChief will not itself be liable to meet any such claim. SteelChief may without notice change suppliers and/or materials which may alter warranty terms.

IMPORTANT NOTE

- It is important to share full details about your Shed site so we can determine wind classifications.
- If in doubt about the suitability of a SteelChief product for your site please consult your local civil engineer.
- Prices are current from 1st October 2023. This recommended price list replaces all other SteelChief pricing information and is subject to change without notice.
- All sizes shown are actual external wall dimensions. Roofs will overhang the walls in some directions.
 All measurements stated by SteelChief are nominal (or approximate) and may vary slightly from product to product. Please advise your distributor of any important dimensional requirements.
- SteelChief products are not watertight. For improved water resistance we recommend a rebated concrete floor, our rebated wooden floor option or sheeting running past floor level on a flat concrete slab.

KEEPING THINGS SIMPLE WITH EASY DIY

That's why all of our products come in pre-assembled panels so if you are the Do-It-Yourself kind of person upon delivery of your new SteelChief product all you need to do is screw the panels together using a cordless drill. Be sure to attach your product to the ground immediately to ensure no wind damage occurs. Instructions on assembly can be obtained from your nearest distributor or just visit us at **www.steelchief.com.au** to download a full step-by-step guide.

COLOUR

At SteelChief we let you be as creative with colour as you like. Mix and match any of our 10 colours for walls, door and roof.

Please note: the colours below and in the example pictures are approximate shades only and should not be used for colour matching. Visit your distributor to view actual colour samples.

Monolith/ Mist Green / Slate Grey / Merino/Paper Smooth Cream/ Off White Woodland Grev Dune Ironstone Monument Pale Eucalvot Windspray Shale Grev Rark Classic Cream Surfmist Zinc



HIGHER WIND LOADINGS!

All SteelChief sheds are engineered to windclass N3

(Subject to correct installation of the shed)

Finally! One expert team to Design, Build, Deliver & Install Your Garden Shed



WHY STEELCHIEF? Get more with SteelChief



BaseSmart® Technology

BaseSmart® Technology prevents debris build-up, ensures a clean, corrosion-resistant shed.



Heavier Gauge Steel

Australian standards, 0.35mm thick steel for durability, or corrugated sheeting for additional strength.



Designed & Manufactured in Australia

Choose SteelChief for local expertise and Australian-built sheds tailored to our conditions.



Easiest DIY Shed on the Market

Effortless DIY with pre-assembled walls & roofs. Superior strength, no cardboard boxes.



Custom Designs & Sizes

Need a shed for a narrow or odd-shaped space? Custom solutions to fit your needs perfectly.



N3 Wind Rating

N3 wind-rating suits most sites. Upgraded site specific design available for more exposed sites. Sheds must be secured to concrete slab. See Page 7.

One expert team for **PERSONAL SERVICE, ON SITE QUOTES, CONCRETING, INSTALLATION**

A shed company that makes the experience of getting your new shed hassle-free. A free on site design consultation.



35+ Years of Shed Experience

200+ Distributor Partner Locations

500+ Real 5-Star Reviews

7 Dedicated Display Centres

1000's On Site Quotes Completed

Local Installation teams

100,000 + of projects completed for customers just like you













Choose the Right Team for your shed

SteelChief Sheds

- Supplied as pre-assembled panels
- N3 Wind rating
- Factory Direct Delivery, Installation & Concreting Backed by the manufacturer Fully Insured
- Heavy duty 30mm deep rib profile
- Design the shed for your backyard Custom Designs
- BaseSmart Technology

Sheds in a Box

- Supplied as 100's of pieces in heavy cardboard boxes
- N1 Wind rating only
- Un-skilled home handy man She will be right. Pay extra to complete the installation Bolt down often NOT included
- 20mm Low profile
- Basic standard designs Unable to customise shed
- Old fashion "U" Channel First part of shed to rust

Call: VIC 03 5334 1954 NSW 02 4632 4222 SA 08 7444 4625

SHED BASE FLOORING OPTIONS







OPTIONAL INSTALLATION

Available in most cities and some regional areas. Check with our sales team regarding availability.

- Our team delivers and installs your shed.
- Includes bolting to your slab or using star pickets if suitable (wind protected area).
- Site preparation and concreting available.
- Wooden floors and sub-floors (sloping sites) also available.
- Repairs and maintenance to our sheds.
- Optional internal silicon seal of shed to clean flat concrete slab. Owner can also do this task.


BUILDING PERMITS

If your shed is larger than 10m² Victoria, 15m² South Australia, 20m² NSW, it may need a permit. You can check with your local council or just ask us and we can find out for you, and then obtain the permit on your behalf. For a full list of steps to ensure a successful project discuss with our sales team.

CONCRETE FLOORS

Concrete floors are a great shed base option. Allow the concrete to dry for forty-eight hours before using the shed! Slab size depends on shed type and slab design. Discuss with our sales team. Unless you have some concreting experience, or a qualified friend who does, we do not recommend doing the concreting yourself. A mistake made can often be very expensive, and difficult to rectify. Let the Steel Chief team take the hassle out and do it for you.


NOTE: Concrete Slabs will emit water vapour which will cause boxes and soft items to become wet. Always store valuable items off the concrete.




Sheds supplied as Pre-Assembled panels. **EASY DIY**

STEELCHIEF LOCATIONS


Please see maps for delivery zones in these areas. Please request a quote for delivery if you are located outside of these delivery zones on Ph: (03) 5334 1954. * Delivery conditions. Delivery applies to Sheds, Aviaries, and Forts delivered to homes in these areas - Victoria: Metro Melbourne, Geelong, Ballarat and Bendigo. SA: Metro Adelaide.








CONCRETE FLOORS



REBATED CONCRETE SLAB (HIGH WATER TIGHTNESS)

The finished slab size is the same size as the shed. Excellent water seal.

- · Concrete and shed installation completed same day
- Suitable for relatively flat sites
- If site has significant fall then a flat slab maybe best
- . Difficult DIY installation.



INFILL POUR SLAB

- Concrete flows inside ribs and voids sheet warranty.
 Premature corrosion may occur
- Damaged shed usually requires concrete floor to be removed and replaced.
 Very expensive.
- Loss of 65m m headroom.


TIMBER FLOORS

REBATED WOODEN FLOORS (HIGH WATER TIGHTNESS)


A rebated wooden floor offers excellent water seal at the base of the shed and strong attachment to the ground. Whilst the wooden floors are simple and effective, we do not have engineering specifications and computations for them and as such, they are not suitable for cases where a permit is required.

- Small Sheds may need to be star picketed to the ground.
- Easy DIY product. 19mm particleboard flooring and treated pine bearers cut to size.
- Easily dismantled for relocation.
- Easy DIY

NSW: Metro Sydney, Wollongong, Central Coast, South Caost. ACT: Canberra.







FLAT CONCRETE SLAB (Recommend internal silicon seal)

The shed is bolted to the flat slab. In this option you may want to seal around the base of the shed. Note: The silicone seal around the shed base is usually good but in some circumstances it can leak water.

- Recommended internal silicon seal by owner or request a quote
- Suitable for flat and sites with a fall
- Slab poured then shed installed at a later date
- Easy DIY installation of the shed.



SHEETING RUNS PAST FLOOR LEVEL ON FLAT SLAB (BEST WATER TIGHTNESS)

The welded frame of the Shed is bolted to the slab and the sheets run past the slab to ensure no water or debris comes under the walls.

- Suitable only for Steel frame sheds
- · Works well for unlevel areas
- Shed supplied with clips and dyna bolts to fix shed to slab
- Easy DIY installation of the shed.
- Also suits installation on existing flat slabs.







CUSTOM & PREFERRED SIZING

HEAVY DUTY SHEETS AND PAN SIZES



Corrugated Sheet Profile

850mm wide - 0.47mm thick

Size Meters	Panel Makeup						
0.23	1 Pan	2.54	3 Sheet 1 Pan	4.85	6 Sheet 1 Pan	7.16	9 Sheet 1 Pan
0.43	2 Pans	2.74	3 Sheet 2 Pan	5.05	6 Sheet 2 Pan	7.36	9 Sheet 2 Pan
0.62	3 Pans	2.93	3 Sheet 3 Pan	5.24	6 Sheet 3 Pan	7.55	9 Sheet 3 Pan
0.81	1 Sheet	3.12	4 Sheets	5.43	7Sheets	7.74	10 Sheets
1.00	1 Sheet 1 Pan	3.31	4 Sheet 1 Pan	5.62	7 Sheet 1 Pan	7.93	10 Sheet 1 Pan
1.20	1 Sheet 2 Pan	3.51	4 Sheet 2 Pan	5.82	7 Sheet 2 Pan	8.13	10 Sheet 2 Pan
1.39	1 Sheet 3 Pan	3.70	4 Sheet 3 Pan	6.01	7 Sheet 3 Pan	8.32	10 Sheet 3 Pan
1.58	2 Sheets	3.89	5 Sheets	6.20	8 Sheets	8.51	11 Sheets
1.77	2 Sheet 1 Pan	4.08	5 Sheet 1 Pan	6.39	8 Sheet 1 Pan	8.70	11 Sheet 1 Pan
1.97	2 Sheet 2 Pan	4.28	5 Sheet 2 Pan	6.59	8 Sheet 2 Pan	8.90	11 Sheet 2 Pan
2.16	2 Sheet 3 Pan	4.47	5 Sheet 3 Pan	6.78	8 Sheet 3 Pan	9.09	11 Sheet 3 Pan
2.35	3 Sheets	4.66	6 Sheets	6.97	9 Sheets	9.28	12 Sheets

Standards sizes - Quote out of tables

Preferred Size - Take next standard size up from the tables and add additional charge

Heavy Duty \$190.00 Steel Frame Workshop \$235.00

Must Be Sizes - Any size in-between take next standard sheet size up from the tables and add additional charge

Heavy Duty \$395.00 Steel Frame Workshop \$415.00

CORRUGATED SHEETS AND RIBS SIZES. EXTRA HEAVY DUTY.

Size Meters	Panel Makeup						
0.135	2 Ribs	2.035	2 Sheets 6 Ribs	3.935	5 Sheets 1 Rib	5.835	7 Sheets 6 Ribs
0.215	3 Ribs	2.115	2 Sheets 7 Ribs	4.015	5 Sheets 2 Ribs	5.910	7 Sheets 7 Ribs
0.290	4 Ribs	2.190	2 Sheets 8 Ribs	4.090	5 Sheets 3 Ribs	5.990	7 Sheets 8 Ribs
0.365	5 Ribs	2.265	2 Sheets 9 Ribs	4.165	5 Sheets 4 Ribs	6.065	7 Sheets 9 Ribs
0.440	6 Ribs	2.340	3 Sheets	4.240	5 Sheets 5 Ribs	6.140	8 Sheets
0.515	7 Ribs	2.415	3 Sheets 1 Rib	4.315	5 Sheets 6 Ribs	6.215	8 Sheets 1 Rib
0.590	8 Ribs	2.490	3 Sheets 2 Ribs	4.390	5 Sheets 7 Ribs	6.290	8 Sheets 2 Ribs
0.670	9 Ribs	2.570	3 Sheets 3 Ribs	4.470	5 Sheets 8 Ribs	6.370	8 Sheets 3 Ribs
0.745	10 Ribs	2.645	3 Sheets 4 Ribs	4.545	5 Sheets 9 Ribs	6.445	8 Sheets 4 Ribs
0.820	1 Sheet	2.720	3 Sheets 5 Ribs	4.620	6 Sheets	6.520	8 Sheets 5 Ribs
0.895	1 Sheet 1 Rib	2.795	3 Sheets 6 Ribs	4.695	6 Sheets 1 Rib	6.595	8 Sheets 6 Ribs
0.970	1 Sheet 2 Ribs	2.870	3 Sheets 7 Ribs	4.770	6 Sheets 2 Ribs	6.670	8 Sheets 7 Ribs
1.050	1 Sheet 3 Ribs	2.950	3 Sheets 8 Ribs	4.850	6 Sheets 3 Ribs	6.750	8 Sheets 8 Ribs
1.125	1 Sheet 4 Ribs	3.025	3 Sheets 9 Ribs	4.925	6 Sheets 4 Ribs	6.825	8 Sheets 9 Ribs
1.200	1 Sheet 5 Ribs	3.100	4 Sheets	5.000	6 Sheets 5 Ribs	6.900	9 Sheets
1.275	1 Sheet 6 Ribs	3.175	4 Sheets 1 Rib	5.075	6 Sheets 6 Ribs	6.975	9 Sheets 1 Rib
1.350	1 Sheet 7 Ribs	3.250	4 Sheets 2 Ribs	5.150	6 Sheets 7 Ribs	7.050	9 Sheets 2 Ribs
1.430	1 Sheet 8 Ribs	3.330	4 Sheets 3 Ribs	5.230	6 Sheets 8 Ribs	7.130	9 Sheets 3 Ribs
1.505	1 Sheet 9 Ribs	3.405	4 Sheets 4 Ribs	5.305	6 Sheets 9 Ribs	7.205	9 Sheets 4 Ribs
1.580	2 Sheets	3.480	4 Sheets 5 Ribs	5.380	7 Sheets	7.280	9 Sheets 5 Ribs
1.650	2 Sheets 1 Rib	3.555	4 Sheets 6 Ribs	5.455	7 Sheets 1 Rib	7.355	9 Sheets 6 Ribs
1.730	2 Sheets 2 Ribs	3.630	4 Sheets 7 Ribs	5.530	7 Sheets 2 Ribs	7.430	9 Sheets 7 Ribs
1.810	2 Sheets 3 Ribs	3.710	4 Sheets 8 Ribs	5.610	7 Sheets 3 Ribs	7.510	9 Sheets 8 Ribs
1.885	2 Sheets 4 Ribs	3.785	4 Sheets 9 Ribs	5.685	7 Sheets 4 Ribs	7.585	9 Sheets 9 Ribs
1.960	2 Sheets 5 Ribs	3.860	5 Sheets	5.760	7 Sheets 5 Ribs	7.660	10 Sheets

Standards sizes - Quote out of tables


Preferred Size - Take next Standard Sheet size up from the tables and additional \$360 Must Be Sizes - Any size in-between take next Standard Sheet size up from the tables and add additional \$460

WIND SPEED EXAMPLES


Choosing your Shed for your site.

THINGS TO CONSIDER:

Using the table below consider where your space fits into the chart below. At SteelChief Sheds are all rated at N3. We do recommend our stronger Steel Frame Sheds for N3 sites. We can engineer custom sheds to suit more extreme N4 sites. Please discuss your site with our sales team.




Sheds built on a crest hill or ridge with minimal shielding



HEAVY DUTY GABLE ROOF DEEP RIB										
	Zinc				Colour					
Gable m	1.58	2.35	3.12	3.89	1.58	2.35	3.12			
Front m										
1.58	\$885	\$1,049	\$1,219	\$1,389	\$975	\$1,175	\$1,3			

Gable m	1.58	2.35	3.12	3.89	1.58	2.35	3.12	3.89
Front \mathbf{m}								
1.58	\$885	\$1,049	\$1,219	\$1,389	\$975	\$1,175	\$1,369	\$1,569
2.35	\$1,099	\$1,285	\$1,469	\$1,649	\$1,219	\$1,435	\$1,655	\$1,869
3.12	\$1,315	\$1,515	\$1,715	\$1,915	\$1,459	\$1,699	\$1,939	\$2,169
3.89	\$1,529	\$1,749	\$1,965	\$2,175	\$1,705	\$1,965	\$2,219	\$2,469
4.66	\$1,959	\$2,205	\$2,449	\$2,685	\$2,159	\$2,449	\$2,739	\$3,015
5.43	\$2,175	\$2,435	\$2,699	\$2,945	\$2,399	\$2,715	\$3,025	\$3,315
6.20	\$2,389	\$2,669	\$2,945	\$3,205	\$2,645	\$2,975	\$3,309	\$3,615
6.97	\$2,609	\$2,899	\$3,195	\$3,465	\$2,885	\$3,239	\$3,589	\$3,915
7.74	\$2,825	\$3,135	\$3,445	\$3,729	\$3,129	\$3,505	\$3,875	\$4,215

Standard includes single hinged or sliding door in front and wall height 1800mm.






Colour

Be as creative with colour as you like. Mix and match any of our 10

COLOURS for walls,


door and roof.

CUSTOM DESIGN




HEAVY DUTY GABLE AWNINGS





SEE PAGE 2 TO SELECT COLOURS FOR WALLS DOORS ROOF & WINDOWS! MIX AND MATCH ANY COLOURS YOU LIKE! SEE PAGE 22-23 TO SELECT FLOOR DOOR WINDOW EXTRA WALL HEIGHT OPTIONS ETC.



Standard includes single hinged or sliding door in front or back and wall heights of 1950mm / 1800mm.

\$1,205

\$1,395

\$1,585

\$1,775

\$1,965

\$2,155

\$2,345

\$1,389

\$1,595

\$1,799

\$1,999

\$2,205

\$2,405

\$2,609

\$1,125

\$1,319

\$1,519

\$1,715

\$1,909

\$2,109

\$2,305

\$1,359

\$1,575

\$1,795

\$2,009

\$2,229

\$2,449

\$2.665

\$1,009

\$1,179

\$1,355

\$1,529

\$1,699

\$1,875

\$2.045

3.12

3.89

4.66

5.43

6.20

6.97

7.74

HEAVY DUTY FLAT ROOF DEEP RIB

	Zinc		Colour	
Side m	0.81	1.58	0.81	1.58
Front m				
1.58	\$649	\$805	\$715	\$895
2.35	\$819	\$995	\$905	\$1,109
3.12	\$989	\$1,179	\$1,099	\$1,325
3.89	\$1,159	\$1,365	\$1,295	\$1,539
4.66	\$1,329	\$1,555	\$1,485	\$1,755
5.43	\$1,499	\$1,739	\$1,679	\$1,969
6.20	\$1,669	\$1,929	\$1,869	\$2,185
6.97	\$1,839	\$2,115	\$2,065	\$2,395
7.74	\$2,009	\$2,299	\$2,259	\$2,609

Standard includes single hinged or sliding door in front and wall height of 1800mm.

1.58m x 1.20m x 1270mm wall height. Zinc **\$936** Colour **\$1244**

SMALL

\$1,575

\$1,809

\$2,045

\$2,279

\$2,515

\$2,749

\$2.985

1.58m x 0.81m x 1270mm wall height.
Narrow single door. Bar required above door.
Zinc **\$720** Colour **\$948**

Pump House Notes:

- 1. Supplied as 5 pre-assembled panels.
- 2. Roof hinged.
- 3. Single hinged door in front.
- 4. Other sizes are available please request a quote to your exact requirements.
- 5. Available in all SteelChief colours.
- 6. Bar required above door.
- 7. Double door upgrade for \$105.
- 8. Allow 40mm additional height for roof thickness.

that provide a long-lasting

and great looking solution for protecting your

pool pump.



Flat Roof Range Notes:

- 1. Other door options and extra wall height available.
- 2. Longer fronts available
- 3. Only recommended for installation in undercover area.



	_
1	7

CORRUGATED GABLE ROOF

	Zinc				Colour			
Gable m	1.58	2.34	3.10	3.86	1.58	2.34	3.10	3.86
Front \mathbf{m}								
1.58	\$1,359	\$1,659	\$1,969	\$2,289	\$1,295	\$1,609	\$1,899	\$2,229
2.34	\$1,705	\$2,025	\$2,375	\$2,715	\$1,625	\$1,965	\$2,309	\$2,665
3.10	\$2,025	\$2,405	\$2,759	\$3,095	\$1,939	\$2,325	\$2,715	\$3,065
3.86	\$2,369	\$2,759	\$3,169	\$3,555	\$2,265	\$2,679	\$3,089	\$3,479
4.62	\$2,889	\$3,329	\$3,799	\$4,205	\$2,749	\$3,199	\$3,679	\$4,105
5.38	\$3,229	\$3,705	\$4,199	\$4,659	\$3,075	\$3,575	\$4,079	\$4,539
6.14	\$3,555	\$4,065	\$4,599	\$5,085	\$3,399	\$3,925	\$4,469	\$4,959
6.90	\$3,875	\$4,435	\$4,995	\$5,509	\$3,715	\$4,279	\$4,865	\$5,379
7.66	\$4,205	\$4,809	\$5,405	\$5,925	\$4,045	\$4,649	\$5,259	\$5,819

Standard includes single sliding or hinged door in front and wall height of 1800mm

Gable Roof Range Notes:

- 1. Standard door position is in any sheet front or back.
- 2. Other door options longer and shorter fronts are available.
- 3. Extra wall heights are available.
- 4. Roof truss supplied for fronts exceeding 3.86m.



	Zinc			Colour		
Gable m	0.82	1.58	2.34	0.82	1.58	2.34
Front m						
0.82	\$749	\$1,015	\$1,339	\$699	\$965	\$1,285
1.58	\$1,039	\$1,335	\$1,715	\$985	\$1,285	\$1,635
2.34	\$1,319	\$1,645	\$2,059	\$1,259	\$1,609	\$1,985
3.10	\$1,589	\$1,969	\$2,405	\$1,529	\$1,919	\$2,339
3.86	\$1,895	\$2,309	\$2,775	\$1,815	\$2,229	\$2,715
4.62	\$2,159	\$2,609	\$3,339	\$2,089	\$2,545	\$3,225
5.38	\$2,439	\$2,925	\$3,705	\$2,375	\$2,855	\$3,575
6.14	\$2,729	\$3,265	\$4,045	\$2,635	\$3,185	\$3,925
6.90	\$2,999	\$3,565	\$4,409	\$2,919	\$3,499	\$4,279
7.66	\$3,305	\$3,905	\$4,759	\$3,199	\$3,819	\$4,629

Standard includes single sliding or hinged door in front and wall heights of $1950\,\mathrm{mm}$ / $1800\,\mathrm{mm}$.



CORRUGATED FLAT ROOF

	Zinc		Colour	
Side m	0.82	1.58	0.82	1.58
Front m				
0.82	\$729	\$969	\$685	\$919
1.58	\$985	\$1,279	\$929	\$1,219
2.34	\$1,259	\$1,585	\$1,189	\$1,529
3.10	\$1,515	\$1,895	\$1,449	\$1,829
3.86	\$1,775	\$2,199	\$1,709	\$2,135
4.62	\$2,039	\$2,485	\$1,969	\$2,439
5.38	\$2,309	\$2,805	\$2,229	\$2,745
6.14	\$2,559	\$3,095	\$2,485	\$3,045
6.90	\$2,805	\$3,419	\$2,749	\$3,339
7.66	\$3,079	\$3,719	\$3,009	\$3,655

Standard includes single sliding or hinged door in front and wall height of 1800mm

SEE PAGE 2 TO SELECT COLOURS FOR WALLS DOORS & ROOF! MIX AND MATCH ANY COLOURS YOU LIKE! SEE PAGE 22-23 TO SELECT FLOOR DOOR WINDOW EXTRA WALL HEIGHT OPTIONS ETC.



EASIER ACCESS, BETTER SECURITY, IDEAL FOR LIMITED SPACE, PREMIUM LOOKING.

POPULAR ROLLER DOOR SHED SIZES

HEAVY DUTY SHEET PROFILE GABLE

Gable m Front m	Zinc 3.89	4.66	Colour 3.89	4.66
4.66	\$7,444	\$8,495	\$7,766	\$9,848
5.43	\$7,827	\$8,987	\$8,180	\$10,465
6.2	\$8.212	\$9,477	\$8.595	\$11,082

Standard includes 3000mmW roller door and wall height of 2410mmH

SKILLION / FLAT

Side m Front m	Zinc 0.81	1.58	Colour 0.81	1.58
2.35	\$3,082	\$3,343	\$3,155	\$3,440
3.12	\$3,450	\$3,719	\$3,540	\$3,841
3.89	\$4,081	\$4,362	\$4,198	\$4,503

Standard includes roller door width to suit front length - see notes wall height of 2410mm/2360mm

CORRUGATED SHEET PROFILE CORRI GABLE

Gable m Front m	Zinc 3.86	4.62	Colour 3.86	4.62
4.62	\$9,030	\$10,226	\$9,083	\$10,085
5.38	\$9,664	\$10,964	\$9,754	\$10,808
6.14	\$10,298	\$11,704	\$10,445	\$11,531

Standard includes 3000mmW roller door and wall height of 2410mmH

CORRI SKILLION / FLAT

Side m Front m	Zinc 0.82	1.58	Colour 0.82	1.58
2.34	\$3,899	\$4,326	\$3,802	\$4,277
3.10	\$4,431	\$4,895	\$4,353	\$4,858
3.86	\$5,228	\$5,736	\$5,167	\$5,728

Standard includes roller door width to suit front length - see notes wall height of 2410mm/2360mm


Roller door openings:

1800mm W x 1950mm H (2.35m front) 2400mm W x 1950mm H (3.12m front) 3000mm W x 1950mm H (3.89m front)

NOTE: Roller Door Storage Shed must be attached at the base to a 100mm reinforced concrete foundation using 6.5mm diameter sleeve anchors in all anchor brackets.



ROLLER DOOR SHED PRICE CALCULATOR



Find the size shed you want and get the price from pages 12 or 13



For 600mm extra wall height required on all Roller Door Storage Sheds



Select roller door width 1.8m width add \$965 2.4m width add \$1065 3.0m width add \$1435



Add other options from page 22-23










Comes as
Standard with
Extra Strong
Welded Steel Frame
Construction

HEAVY DUTY DEEP RIB WITH STEEL FRAME



THEAVY DUTY GABLE ROOF STEEL FRAME

810mm wide - 0.35mm thick

	Zinc					Colour				
Gable m	1.58	2.35	3.12	3.89	4.66	1.58	2.35	3.12	3.89	4.66
Front m										
1.58	\$1,815	\$2,015	\$2,255	\$2,469	\$3,238	\$1,875	\$2,089	\$2,355	\$2,589	\$3,858
2.35	\$2,075	\$2,289	\$2,569	\$2,785	\$3,607	\$2,155	\$2,389	\$2,689	\$2,929	\$4,328
3.12	\$2,335	\$2,569	\$2,885	\$3,099	\$3,977	\$2,429	\$2,685	\$3,029	\$3,269	\$4,798
3.89	\$2,595	\$2,845	\$3,199	\$3,415	\$4,347	\$2,705	\$2,979	\$3,369	\$3,609	\$5,269
4.66	\$3,359	\$3,645	\$4,055	\$4,295	\$5,431	\$3,485	\$3,799	\$4,249	\$4,509	\$6,511
5.43	\$3,619	\$3,919	\$4,369	\$4,609	\$5,801	\$3,765	\$4,095	\$4,589	\$4,849	\$6,981
6.2	\$3,879	\$4,199	\$4,685	\$4,925	\$6,170	\$4,039	\$4,395	\$4,929	\$5,189	\$7,452
6.97	\$4,139	\$4,475	\$4,999	\$5,239	\$6,540	\$4,319	\$4,689	\$5,265	\$5,529	\$7,922
7.74	\$4,399	\$4,755	\$5,315	\$5,555	\$6,910	\$4,595	\$4,989	\$5,605	\$5,869	\$8,393
8.51	\$5,159	\$5,555	\$6,169	\$6,429	\$7,994	\$5,375	\$5,809	\$6,489	\$6,769	\$9,635
9.28	\$5,425	\$5,829	\$6,485	\$6,749	\$8,364	\$5,649	\$6,105	\$6,829	\$7,109	\$10,105

Standard includes single hinged or sliding door in front and wall height of 1810mm

н	iما	in	hŧ	 •	tr	'n	ωf	ga	hl	۵.
- 11	ш	12	ш	 u	LL	JU	UI	20	u	

Wall Hei	ght 1.80	1.95	2.10	2.40	
Gable m					
1.58	2.01	2.16	2.31	2.61	
2.35	2.09	2.24	2.39	2.69	
3.12	2.16	2.31	2.46	2.76	
3.89	2.24	2.39	2.54	2.84	

Roof bars to sheds

Work Shed Range Notes:

- 1. Longer and shorter fronts and made to order sizes are available on request.
- 2. Internal portal supplied for fronts exceeding 3.89m.
- 3. Roof bars supplied to gables 3.12m and above.
- 4. Steel framed sheds supplied with loose fixings.5. Roller doors available in steel frame construction.
- Koller doors available in steel frame construction.
 Minimum wall height 2.25m height of opening 1.85m.
 Maximum wall height 2.4m height of opening 1.95m.
 Maximum door width 3.0m. Request a quote or see page 18 for roller door pricing.
- All roofs are non-trafficable. Request a separate quote if a trafficable roof required.

HEAVY DUTY SKILLION ROOF STEEL FRAME

	Zinc			Colour			
Skillion m	0.81	1.58	2.35	0.81	1.58	2.35	
Front m							
1.58	\$1,515	\$1,729	\$1,899	\$1,559	\$1,789	\$1,979	
2.35	\$1,735	\$1,949	\$2,145	\$1,795	\$2,029	\$2,239	
3.12	\$1,955	\$2,175	\$2,385	\$2,029	\$2,275	\$2,505	
3.89	\$2,169	\$2,399	\$2,629	\$2,265	\$2,515	\$2,769	
4.66	\$2,655	\$2,889	\$3,395	\$2,765	\$3,019	\$3,555	
5.43	\$2,875	\$3,109	\$3,639	\$2,999	\$3,265	\$3,815	
6.2	\$3,095	\$3,335	\$3,879	\$3,235	\$3,505	\$4,079	
6.97	\$3,309	\$3,559	\$4,119	\$3,469	\$3,749	\$4,339	
7.74	\$3,529	\$3,779	\$4,365	\$3,705	\$3,989	\$4,605	
8.51	\$4,015	\$4,269	\$5,129	\$4,205	\$4,495	\$5,389	
9.28	\$4,235	\$4,495	\$5,375	\$4,439	\$4,739	\$5,649	

Standard includes single hinged or sliding door in front or back and wall heights of 1960mm / 1810mm.

HEAVY DUTY FLAT ROOF STEEL FRAME

	ZINC		Loiour		
Side m	0.81	1.58	0.81	1.58	
Front m					
0.81	\$1,355	\$1,505	\$1,385	\$1,545	
1.58	\$1,559	\$1,729	\$1,605	\$1,785	
2.35	\$1,769	\$1,949	\$1,825	\$2,025	_
3.12	\$1,975	\$2,175	\$2,045	\$2,269	
3.89	\$2,179	\$2,395	\$2,269	\$2,509	
4.66	\$2,649	\$2,885	\$2,755	\$3,009	_
5.43	\$2,855	\$3,105	\$2,975	\$3,255	_
6.2	\$3,065	\$3,325	\$3,195	\$3,489	
6.97	\$3,269	\$3,549	\$3,419	\$3,735	
7.74	\$3,475	\$3,775	\$3,639	\$3,969	_
8.51	\$3,945	\$4,259	\$4,125	\$4,475	_
9.28	\$4,155	\$4,479	\$4,345	\$4,715	

Standard includes single hinged or sliding door in front. Wall height 1810mm



\bigcap	CORRUGATED GABLE ROOF STEEL FRAME									
	Zinc					Colour				
Gable m	1.58	2.34	3.10	3.86	4.66	1.58	2.34	3.10	3.86	4.62
Front \mathbf{m}										
1.58	\$2,495	\$2,869	\$3,269	\$3,629	\$4,309	\$2,399	\$2,809	\$3,239	\$3,625	\$4,244
2.34	\$2,925	\$3,319	\$3,775	\$4,149	\$4,915	\$2,845	\$3,285	\$3,765	\$4,169	\$4,837
3.10	\$3,355	\$3,785	\$4,265	\$4,669	\$5,520	\$3,285	\$3,765	\$4,269	\$4,725	\$5,430
3.86	\$3,785	\$4,229	\$4,769	\$5,199	\$6,126	\$3,719	\$4,225	\$4,799	\$5,285	\$6,022
4.62	\$4,649	\$5,149	\$5,755	\$6,225	\$7,206	\$4,545	\$5,115	\$5,759	\$6,269	\$7,090
5.38	\$5,079	\$5,615	\$6,245	\$6,745	\$7,811	\$4,995	\$5,595	\$6,285	\$6,819	\$7,683
6.14	\$5,495	\$6,055	\$6,759	\$7,265	\$8,417	\$5,435	\$6,065	\$6,809	\$7,385	\$8,275
6.90	\$5,915	\$6,515	\$7,249	\$7,779	\$9,022	\$5,869	\$6,539	\$7,335	\$7,919	\$8,868
7.66	\$6,345	\$6,969	\$7,739	\$8,315	\$9,628	\$6,299	\$7,019	\$7,845	\$8,475	\$9,461

7.66 Standard includes single hinged or sliding door in front and wall height of 1810mm

≖ 18mm 850mm wide - 0.47mm thick

CORRUGATED SKILLION ROOF STEEL FRAME

	Zinc			Colour		
Gable m	0.82	1.58	2.34	0.82	1.58	2.34
Front m						
0.82	\$1,699	\$1,979	\$2,315	\$1,575	\$1,889	\$2,235
1.58	\$2,035	\$2,365	\$2,735	\$1,945	\$2,295	\$2,695
2.34	\$2,405	\$2,755	\$3,139	\$2,325	\$2,715	\$3,139
3.10	\$2,759	\$3,139	\$3,565	\$2,695	\$3,109	\$3,569
3.86	\$3,109	\$3,525	\$3,989	\$3,059	\$3,519	\$4,019
4.62	\$3,679	\$4,119	\$4,889	\$3,619	\$4,115	\$4,889
5.38	\$4,025	\$4,495	\$5,309	\$3,975	\$4,519	\$5,325
6.14	\$4,389	\$4,889	\$5,705	\$4,345	\$4,935	\$5,789
6.90	\$4,745	\$5,269	\$6,129	\$4,725	\$5,345	\$6,225
7.66	\$5,095	\$5,665	\$6,559	\$5,095	\$5,759	\$6,669

Standard includes single hinged or sliding door in front and wall heights of 1960mm / 1810mm.

of 1810mm

CORRUGATED FLAT ROOF STEEL FRAME

	Zinc		Colour		
Side m	0.82	1.58	0.82	1.58	
Front m					
0.82	\$1,645	\$1,979	\$1,545	\$1,869	
1.58	\$2,009	\$2,365	\$1,909	\$2,285	
2.34	\$2,365	\$2,735	\$2,269	\$2,695	
3.10	\$2,699	\$3,125	\$2,639	\$3,095	_
3.86	\$3,055	\$3,505	\$2,995	\$3,495	
4.62	\$3,619	\$4,089	\$3,545	\$4,069	
5.38	\$3,959	\$4,465	\$3,899	\$4,469	
6.14	\$4,319	\$4,855	\$4,269	\$4,875	_
6.90	\$4,665	\$5,215	\$4,639	\$5,285	_
7.66	\$5,009	\$5,619	\$4,995	\$5,685	

Standard includes single hinged or sliding door in front and wall height



A/B SKILLION ROOF AVIARY

	Zinc		Colour	
Skillion m	1.58	2.35	1.58	2.35
Front m				
0.81	\$859	\$1,095	\$895	\$1,145
1.58	\$1,069	\$1,319	\$1,119	\$1,389
2.35	\$1,275	\$1,545	\$1,339	\$1,629
3.12	\$1,485	\$1,775	\$1,565	\$1,875
3.89	\$1,695	\$1,999	\$1,785	\$2,115
4.66	\$1,945	\$2,449	\$2,055	\$2,579
5.43	\$2,149	\$2,675	\$2,275	\$2,825
6.2	\$2,359	\$2,899	\$2,499	\$3,069
Divider	\$379	\$459	\$385	\$475

Standard includes aviary door in front and one sheet wire and dado in each side. Wall heights: Front 1950mm Back 1800mm. Divider cost includes a door in the divider front or skillion side. Customer to specify.



Standard includes full wire front with door. 0.81 sides are full sheet. 1.70m & 2.47m sides have 900mm wire. Door 660w x 1425h



C FLAT ROOF AVIARY

	Zinc		Colour	
Side m	0.81	1.58	0.81	1.58
Front m				
0.81		\$829		\$869
1.58	\$785	\$1,035	\$819	\$1,089
2.35	\$975	\$1,239	\$1,025	\$1,309
3.12	\$1,169	\$1,445	\$1,229	\$1,525
3.89	\$1,359	\$1,649	\$1,429	\$1,745
4.66	\$1,629	\$1,935	\$1,669	\$2,005
5.43	\$1,825	\$2,139	\$1,875	\$2,225
6.2	\$2,015	\$2,345	\$2,075	\$2,445
Divider	\$279	\$355	\$279	\$365

Standard includes aviary door in front. 0.81m Sides are solid sheet 1.58m sides have one sheet wire and dado. Wall height 1800mm. Divider cost includes a door in the divider front or side. Customer to specify.

D FLAT ROOF AVIARIES WITH FULL WIRE FRONTS.

	Zinc			Colour			Optional
Side m	0.81	1.7	2.47	0.81	1.7	2.47	flight roof
Front m							
0.81	\$504	\$775	\$905	\$541	\$818	\$972	\$59
1.58	\$688	\$975	\$1,115	\$741	\$1,039	\$1,207	\$116
2.35	\$871	\$1,174	\$1,324	\$940	\$1,260	\$1,441	\$178
3.12	\$1,055	\$1,374	\$1,533	\$1,140	\$1,481	\$1,675	\$235
3.89	\$1,238	\$1,573	\$1,742	\$1,339	\$1,702	\$1,910	\$264
4.66	\$1,433	\$1,784	\$1,963	\$1,550	\$1,935	\$2,155	\$321
5.43	\$1,617	\$1,984	\$2,172	\$1,750	\$2,156	\$2,390	\$350
6.2	\$1,800	\$2,183	\$2,382	\$1,949	\$2,378	\$2,624	\$407
Divider	\$253	\$331	\$397	\$253	\$341	\$418	

PICTURES:

- **A** 1.58 x 1.58m Skillion Roof Aviary. Zinc **\$1069** Colour **\$1119**
- B 2.35 x 1.58m Skillion Roof Aviary. As pictured with Bird Lock Option. Zinc \$1590 Colour \$1688
- C 1.58 x 0.81m Flat Roof Aviary. As pictured. Zinc \$785 Colour \$819
- D 1.58 x 2.47m Flat Roof with full wire front. Optional Flight Roof Zinc \$1231 Colour \$1232
- F 3.12 x 3.12m Gable Roof Aviary. Zinc **\$1999** Colour **\$2135**
- H 1.58 x 3.12m WIG Aviary. With optional Divider. Zinc \$2434 Colour \$2534





F GABLE ROOF AVIARY

	Zinc				Colour			
Gable m	1.58	2.35	3.12	3.89	1.58	2.35	3.12	3.89
Front m								
1.58	\$1,095	\$1,265	\$1,439	\$1,639	\$1,149	\$1,339	\$1,535	\$1,755
2.35	\$1,339	\$1,529	\$1,725	\$1,929	\$1,415	\$1,619	\$1,835	\$2,069
3.12	\$1,589	\$1,795	\$1,999	\$2,225	\$1,675	\$1,899	\$2,135	\$2,385
3.89	\$1,835	\$2,055	\$2,279	\$2,519	\$1,935	\$2,179	\$2,435	\$2,699
4.66	\$2,359	\$2,609	\$2,865	\$3,129	\$2,475	\$2,749	\$3,035	\$3,335
5.43	\$2,609	\$2,875	\$3,145	\$3,425	\$2,735	\$3,035	\$3,335	\$3,649
6.2	\$2,859	\$3,139	\$3,425	\$3,715	\$2,995	\$3,309	\$3,635	\$3,965
6.97	\$3,105	\$3,399	\$3,705	\$4,009	\$3,255	\$3,589	\$3,935	\$4,279
7.74	\$3,355	\$3,665	\$3,979	\$4,305	\$3,515	\$3,875	\$4,229	\$4,595
8.51	\$3,875	\$4,219	\$4,565	\$4,915	\$4,055	\$4,445	\$4,835	\$5,229
Divider	\$395	\$425	\$509	\$585	\$415	\$459	\$575	\$685

Standard includes aviary door in front and solid sheet gable ends. Wall height 1800mm. Optional wire and dado in gable ends. Divider cost includes a door in the divider or front. Customer to specify. See aviary options.

Aviary Notes:


- 1. Divider includes door in divider or front.
- 2. Flat roof with 0.81m sides has wire in front only except Junior as shown.
- 3. Flights safety doors and false walls can be made to your requirements.
- 4. Wall heights are same as flat gable and skillion roof ranges
- 5. Wire is galvanised welded mesh 12.5 x 12.5 x 1.6mm.
- 6. Heavy wire 25 x 25 x 2.0mm is available.

♠E DOUBLE HEX AVIARY

Pictured with 1.40m flight. Zinc **\$3215** Colour **\$3305**

Flight extensions per 0.74m. Zinc **\$250** Colour **\$260**


Note: All hex roofs ZINC



A SINGLE HEX WITH FLIGHT

Zinc **\$2028** Colour **\$2098** Includes 1.135m flight.


Flight extensions per 0.77m. Zinc **\$250** Colour **\$287**





A G SINGLE HEX AVIARY

Zinc **\$1315** Colour **\$1345** Wall height 1800mm.





H WIRE IN GABLE ROOF AVIARY (WIG)

Zinc				Colour				
Gable m 1.58 2.	.35 3.12	3.89	Div	1.58	2.35	3.12	3.89	Div
Front m								
1.58 \$1,395 \$	31,639 \$1,87	9 \$2,125	\$555	\$1,445	\$1,705	\$1,959	\$2,219	\$575
2.35 \$1,639 \$	1,899 \$2,15	9 \$2,415	\$645	\$1,705	\$1,985	\$2,259	\$2,539	\$669

Standard includes door in front and one sheet wire and dado in each side. Wall height 1800mm. Divider cost includes a door in the divider front or side. Customer to specify.

0.73m B ×××× 0.805m / ×

See picture B on opposite page.

AVIARY OPTIONAL EXTRAS

AVIARY BIRD LOCK

Supplied as two panels A+B to suit skillion and gable roof aviaries with fronts greater than 1.58m.
Zinc **\$315** Colour **\$349**

Type and size of aviary must be specified when ordering including door position. Bird lock can be put into rear corner of a new aviary with a full sized door. Comes standard with aviary size doors (1425mm).

Double wire per 0.77m of wire	\$89
Larger aviary door (660mm x 1730mm)	\$59 Wall 1800mm
Larger aviary door (660mm x 1880mm)	\$64 Wall 1950/2100mm
Extra aviary door	\$93
Replace wire & dado with full wire	\$69 per sheet width (0.77m)
Replace solid sheet with full wire	\$145 per sheet width (0.77m)
Replace solid sheet with wire & dado	\$99 per sheet width (0.77m)
Hinged hatch 345 x 350mm high	\$79 in sheet
	\$105 in wire
Ungrade to heavy wire 25y25y2mm Diam	

Upgrade to heavy wire 25x25x2mm Diam.
Add percentage shown to base shed price Zinc 10% colour 8%



GABLE ROOF TIMBER

A range of sheds for those that love the rustic charm of timber. Pricing includes wooden floor.

Side x Gable	1.94 x 1.84	2.54 x 1.84	3.76 x 1.84	1.94 x 2.44	2.54 x 2.44	3.76 x 2.44	1.94 x 3.04	2.54 x 3.04	3.76 x 3.04
Shed	\$2,715	\$3,095	\$3,609	\$3,159	\$3,539	\$4,005	\$3,645	\$4,169	\$5,219
Sub Floor	\$599	\$665	\$749	\$665	\$759	\$815	\$899	\$899	\$1,125

Standard includes single door. Customer to specify which panel and left or right hinge. Supplied as four or six wall panels two or four roof panels plus wooden floor (19mm tongue and groove on $70 \times 45 \text{mm}$ H4 treated pine bearers).

VERANDAH OPTIONS: GABLE

Side x Gable	1.94 x 1.84	2.54 x 1.84	3.76 x 1.84	1.94 x 2.44	2.54 x 2.44	3.76 x 2.44	1.94 x 3.04	2.54 x 3.04	3.76 x 3.04
Gable Verandah	\$565	\$565	\$735	\$669	\$669	\$839	\$665	\$665	\$759
Sub Floor Verandah	\$175	\$175	\$175	\$265	\$265	\$265	\$265	\$265	\$265



Bay Box. \$1985

T4 VERANDAH OPTIONS: SIDE

Side x Gable	1.94 x 1.84	2.54 x 1.84	3.76 x 1.84	1.94 x 2.44	2.54 x 2.44	3.76 x 2.44	1.94 x 3.04	2.54 x 3.04	3.76 x 3.04
Side Verandah	\$565	\$705	\$1,115	\$565	\$705	\$1,115	\$485	\$635	\$985
Sub Floor Side	\$175	\$265	\$329	\$175	\$265	\$329	\$209	\$209	\$275

Additional Options:

Skylight \$75 *Double Doors \$211 (Replaces single door)

*Sliding Window \$399 *Extra Single Door \$211

*Louvre Window \$179 T-Handle \$75 Shovel or Broom Rack \$59 Steel Clad Door upgrade \$99 per door customer to specify colour Custom Size \$145


Optional Upgrade to Pre-Primed Weather boards add 40% to the shed price


See page 23 for steel shelf set options and pricing.

*Customer to specify which panel and door hinge.

Double Door Gable Roof Timber models only available in 2.44m and larger sizes.







UPGRADE TO PRE-PRIMED WEATHER BOARDS

Thinking of painting your timber shed, why not upgrade to pre-primed weather boards.

Baltic Pine has excellent weather resistance and durability when maintained correctly. Looks great and long lasting!

Add 40% to shed base price.



TIMBER SKILLION ROOF RANGE

SKILLION ROOF TIMBER

Pricing includes wooden floor.

Side x Skillion	1.25 x 0.64	1.25 x 1.24	1.25 x 1.84	1.85 x 0.64	1.85 x 1.24	1.85 x 1.84	2.45 x 0.64	2.45 x 1.24	2.45 x 1.84	3.05 x 0.64	3.05 x 1.24	3.05 x 1.84
Shed	\$1,485	\$1,735	\$2,015	\$1,735	\$2,035	\$2,409	\$2,035	\$2,365	\$2,785	\$2,335	\$2,689	\$3,209
Sub Floor	\$459	\$475	\$565	\$549	\$565	\$689	\$565	\$565	\$705	\$639	\$645	\$825

Standard includes single door. Customer to specify which panel and left or right hinge. Supplied as four wall panels one roof panel plus wooden floor. (19mm tongue and groove on 70 x 45mm H4 treated pine bearers). Double Door in Skillion Roof Timber models only available in 2.45m and larger sizes.







SINGLE DOG RUN \$2163

1.58m x 4.015m x 1.80m High - Includes internal floor & veranda floor


SHED SIZE	RUN Length	Colour	Floor
Front Side Height			
1.58m x 1.58m x 1.840m	1.21m	\$1,608	\$375
	2.41m	\$1,788	\$375
2.35m x 1.58m x 1.840m	1.21m	\$1,835	\$580
	2.41m	\$2,015	\$580
3.12m x 1.58m x 1.840m	1.21m	\$2,061	\$750
	2.41m	\$2,241	\$750

4015mm 4015mm 790mm Verandah Wire Run 790mm Verandah Wire Run 790mm Kennel

WIRE PANELS

1.21m x 1.8m high	No doors	\$178
2.41m x 1.80m high	No doors	\$268
3.12m x 1.8m high	With 1 door	\$510
2.35m x 1.8m high	With 1 door	\$446
1.58m x 1.8m high	With 1 door	\$380

Add single door to any panel \$189



- Coloured Sheeting Heavy Duty -
- Raised Internal Wooden Floor & Verandah Floor 200mm High
 - Solid Steel Frame -
- Heavy Guage Wire Welded to 25 x 25 frames
- Easy Access for Cleaning Full Height: 1800mm -
 - Easy Installation -
- Bolts and Tek Screws Preassembled Panels

KENNELS

Safe long lasting Kennels delivering excellent accommodation! Made from high quality materials selected and treated to ensure a safe, comfortable and long lasting home for your pet. The roof overhangs the front to provide maximum protection.



FLAT ROOF KENNELS FROM \$359

SMALL

Treated Pine \$359

Treated Pine \$425

0.74m Front x 0.49m Sides x 440mm high. 1.16m Front x 0.78m Sides x 720mm high.

Treated Pine \$525 EXTRA LARGE

0.94m Front x 0.64m Sides x 580mm high. 1.34m Front x 0.94m Sides x 860mm high.

Treated Pine \$635



GABLE ROOF KENNELS FROM \$359

0.74m x 0.49m Gable x 670mm high wall height 440mm. Treated Pine \$359

MEDIUM

0.94m x 0.64m Gable x 840mm high wall height 580mm. Treated Pine \$425

1.04m x 0.84m Gable x 1030mm high wall height 720mm. Treated Pine \$525

EXTRA LARGE

1.34m x 0.94m Gable x 1220mm high wall height 860mm. Treated Pine \$635



STEEL KENNELS FROM \$445

810 x 810 x 930mm high 1580 x 810 x 1130mm high 1580 x 1200 x 1270mm high wall height 635mm. wall height 830mm.

Zinc \$445 Colour \$459 Zinc \$595 Colour \$615

Includes wooden floor (elevated off the ground)

LARGE

wall height 830mm.

Zinc \$676 Colour \$695

RURAL ELEVATED YARD PEN

These are high quality dog enclosures designed for the rural industry. Solid welded construction of frames solid snappy latch, welded wire mesh and heavy duty sheeting. Can be supplied as fully erected (fork on / off your tray) or as pre-assembled panels ready to screw together. Easy installation on your farm. Particleboard 19mm flooring in the kennel, treated pine decking in the run. Doors both ends.







SMART STORAGE SOLUTIONS















I SKILLION ROOF FOWL HOUSE

	Zinc		Colour	
$Skillion \ m$	1.58	2.35	1.58	2.35
Front m				
0.81	\$765	\$989	\$809	\$1,049
1.58	\$979	\$1,215	\$1,035	\$1,289
2.35	\$1,189	\$1,445	\$1,259	\$1,535
3.12	\$1,399	\$1,669	\$1,489	\$1,779
3.89	\$1,615	\$1,895	\$1,719	\$2,019
4.66	\$1,869	\$2,339	\$1,985	\$2,485
5.43	\$2,085	\$2,569	\$2,215	\$2,729
6.2	\$2,295	\$2,789	\$2,439	\$2,969
Divider	\$379	\$459	\$385	\$475

Standard includes solid sheet single door in skillion side. Wall height front 1950mm back 1800mm. Divider cost includes a door in the divider front or skillion side. Customer to specify.

K GABLE ROOF FOWL HOUSE

	Zinc			Colour		
Gable m	1.58	2.35	3.12	1.58	2.35	3.12
Front m						
1.58	\$1,029	\$1,205	\$1,385	\$1,089	\$1,285	\$1,485
2.35	\$1,279	\$1,475	\$1,665	\$1,349	\$1,569	\$1,785
3.12	\$1,525	\$1,735	\$1,945	\$1,615	\$1,849	\$2,085
3.89	\$1,775	\$1,999	\$2,225	\$1,875	\$2,129	\$2,379
4.66	\$2,299	\$2,555	\$2,809	\$2,415	\$2,699	\$2,985
5.43	\$2,549	\$2,819	\$3,089	\$2,675	\$2,979	\$3,285
6.2	\$2,795	\$3,085	\$3,369	\$2,935	\$3,259	\$3,585
Divider	\$445	\$495	\$549	\$469	\$545	\$619

Standard includes solid sheet single door in the front. Wall Height 1800mm Divider includes door in divider or in front. Customer to specify.

J FLAT ROOF FOWL HOUSE

	Zinc	Colour
Front x Side m	1.58	1.58
0.81	\$745	\$785
1.58	\$955	\$1,009
2.35	\$1,165	\$1,235
3.12	\$1,375	\$1,455
3.89	\$1,585	\$1,679
4.66	\$1,835	\$1,945
5.43	\$2,045	\$2,169
6.2	\$2,255	\$2,395
Divider	\$335	\$349

Standard includes door in front wall. Wall height 1800mm. Divider includes door in divider or side wall. Customer to specify.



FOWL HOUSE OPTIONAL EXTRAS



OPTIONAL LAYER BOX

Size: 775 x 450 x 430mm high. Zinc **\$289**

Layer boxes can be positioned in front back or sides.



OPTIONAL WOODEN FOWL PERCH

Size: 900mm \$65 Suits 2 birds 1200mm \$69 Suits 3 birds Helps strengthen birds feet and keeps eggs clean.

PICTURES:

- I 1.58 x 1.58m Skillion roof fowl house. Optional Zinc layer box in front. Zinc \$979 Colour \$1035 (prices do not include layer box)
- J 2.35 x 1.58m Flat roof fowl house. Zinc \$1165 Color \$1235
- K 3.12 x 3.12m Gable roof fowl house. Zinc \$1945 Colour \$2085

STEEL SHED OPTIONS



Steady Rack Bike Rack



Sliding window




Louvre window



Skylight



Tee Handle \$75



Temporary Anchoring Star Pickets



Shovel/Broom rack \$59 each

BIKE HOOK HANGING BAR: Side/Gable m \$79 \$85 \$65 \$69 BIKE HOOKS \$9 each (catches wheel rim)

\$75

STEADY RACK BIKE RACK \$175 SKYLIGHT FITTED TO ANY SHED: SKYLIGHT FITTED TO CORRUGATED SHED: \$105

SLIDING WINDOWS:

Available in Mist Green Smooth Cream Slate Grey Merino Monolith and Zinc. (Other colours available by arrangement additional costs apply). Glass with aluminium trim 900mm W x 900mm H. Fitted in front or back wall \$399 each. Fitted to gable or skillion end \$479 each. Flyscreen \$80 each.

TEE HANDLE:

Standard sheds have a pad bolt(s) To replace a pad bolt with a Tee Handle (2 keys supplied)

TEMPORARY ANCHORS:

This option should only be used in wind protected sites. Use a minimum of 2 star pickets per panel or 3 pickets for 3.89m panels. Drive star picket (650mm) into ground and anchor shed through Basesmart with a self drilling or tapping screw. This is not N1 rated.

This is a DIY friendly option. Short Star Pickets with Self Drilling Screws

450mm \$6.00ea 600mm \$10.00ea

LOUVRE WINDOWS FITTED IN:

	Galvenised/ZINC
Front or back	\$179
Gable end	\$195
Skillion end	\$195
Five blade glass	lockable louvre windows.

515mm wide x 705mm high.

EXTRA WALL HEIGHT COST:

To increase standard wall heights add				
percentage shown to base shed price.				
Wall +150mm	Zinc	Colour		
Heavy duty construction	12%	12%		
Steel frame construction	10%	10%		
Wall +300mm				
Heavy duty construction	20%	20%		
Steel frame construction	16%	16%		
Wall +600mm				
Steel frame construction	22%	22%		

SHOVEL/BROOM RACK:

Hooks over wall 300mm arms \$59

CUSTOM SHED SIZING:

See page 4 for custom sizes Custom roof \$60



DIY WOODEN FLOORING SYSTEM - CHEAPER & EASIER THAN REBATED CONCRETE!

This flooring system is simple fast great value and easy to relocate. A rebated wooden floor offers excellent water seal at the base of the shed and strong attachment to the ground.

Side/Gable	0.81	1.58	2.35	3.12	3.89
0.81	\$149	\$215	\$275	\$379	\$445
1.58	\$215	\$369	\$455	\$575	\$685
2.35	\$275	\$455	\$589	\$745	\$879
3.12	\$379	\$585	\$799	\$989	
3.89	\$455	\$709	\$989		
	0.81 1.58 2.35 3.12	0.81 \$149 1.58 \$215 2.35 \$275 3.12 \$379	0.81 \$149 \$215 1.58 \$215 \$369 2.35 \$275 \$455 3.12 \$379 \$585	0.81 \$149 \$215 \$275 1.58 \$215 \$369 \$455 2.35 \$275 \$455 \$589 3.12 \$379 \$585 \$799	0.81 \$149 \$215 \$275 \$379 1.58 \$215 \$369 \$455 \$575 2.35 \$275 \$455 \$589 \$745 3.12 \$379 \$585 \$799 \$989

Whilst the wooden floors are simple and effective we do not have engineering specifications and computations for them and as such they are not suitable for cases where a permit is required.

Supplied as pre cut sheets of 19mm particle board flooring and 70 x 45mm treated pine bearers cut to length. Simply lay bearers onto the prepared (flat) site and screw or nail down flooring. Erect shed onto bearers so floor is rebated inside your shed. Then attach your shed to bearers through the Basesmart.

STEEL SHED OPTIONS

REPLACE SINGLE DOOR	SHED TY	PE
IN FRONT WITH:	Heavy du	ıty Steel-frame
	& Corrugated	•
Double door in front or back (hinged or sliding)	\$105	\$180
Double door in gable or skillion end (hinged or sliding)	\$209	\$255
* Garage doors in front back or gable end	\$565	\$439
Single door in gable or skillion end (hinged or sliding)	\$135	\$180
Inward opening door	\$59	\$115
 1.8m wide Roller door in any position 	NA	\$965
 2.4m wide Roller door in any position 	NA	\$1,065
 3.0m wide Roller door in any position 	NA	\$1,435
ADD Extra single door in front or back (hinged or sliding)	\$105	\$165
Extra single door in gable or skillion end (hinged or slidin	\$225	\$350
Extra double door in front or back (hinged or sliding)	\$180	\$325
Extra double door in gable or skillion end (hinged or sliding)	\$280	\$406
Extra 1.80m wide door in any position	NA	\$1,118
Extra 2.4m wide roller door in any position	NA	\$1,218
Extra 3.00m roller door in any position	NA	\$1,600
* Extra garage doors in front back or gable end	\$629	\$572
* Garage doors constructed with steel frame	door and opening as sta	ndard
 Roller door available in Steel-frame only. Se 	e page 9.	
UPGRADE TO STEEL FRAME DOOR AND OPENING		
Single door		NA
Double door	\$225 \$349	NA
ALTER DOOR SIZE (1.00m wide max heavy duty/ heritage.		NA
ALTER DOOR SIZE (1.5m wide max steel frame.)	NA NA	\$109
LOCATE DOOR IN NON-SHEET POSITION	\$49	\$79



450mm deep shelf. 200kgs per shelf – 4 shelves in a set.		
Dimensions (WxDxH)	Shelves	Price
600 x 450 x 1750mm	4	\$405
1500 x 450 x 1750mm	4	\$435
2100 x 450 x 1750mm	4	\$595

DOOR OPENING DIMENSIONS	Heavy duty		Steel-frame
Door opening widths mm	construction 785		construction 786
Standard single door Extra wide door	975		
	• • • •		976
Double door	1600		1604
Garage door	2384		2384
Extra wide garage doors	n/a		on application
Sliding door	730		730
Double Sliding door	1500		1500
Aviary door	605		-
Roller door	NA		Max 3000
Door opening heights mm	Wall 1800	Wall 1950	Wall 2100
Heavy duty construction	1720	1870	2020
Heritage construction	_	1830	_
Steel frame construction	1750	1900	2050
Aviary door	1425	1425	1425



Sliding Door in Front



Upgrade to Steel Frame Door and Opening



Expandable Storage Rack



Concrete bracket & anchor \$55 packet of 8





INSIST on SteelChief

The only Shed with Basesmart Technology!





• Eliminate unsightly trapped debris • Eliminate premature corrosion • Higher wind rating

Custom design?

Yes, we can customise your shed, its shape, exact dimensions, door and window position, skylights, shelves, colours and styles...tell us what you want

Think outside the box?

No difficult instructions and a box of bits. Insist on a better shed! SteelChief sheds come as quality pre-assembled panels, MAKING IT AS EASY AS 1, 2, 3.



Yes, SteelChief can install your shed and if required, site preparation, concreting and permits. Contact us to find out if this service is available in your area.

GET PRICE NOW

LOCAL DISTRIBUTOR



FOR MORE INFORMATION Please call 03 5334 1954

Email: management@steelchief.com.au

www.steelchief.com.au